

**sks**



---

COMFORT door station multitouch 5,7"

# COMFORT door station multitouch with intuitive 5,7" touch display




Multifunctionality in its most beautiful form – audio/video door station, access control and information system at once. The COMFORT series excels especially with its easy operation via a multi touch color display and thus is attractive to all age groups – in residential areas and student residences, office buildings, joint practices or underground car park accesses.

High-quality surface  
of safety glass +

Large 14.5 cm (5.7")  
TFT color display  
(640 x 480 pixels) +

Easy and  
intuitive operation +



+ With build in  
color camera

+ Labeling can be  
customized  
(also in color)

+ Operation via  
multitouch display

+ Available colors:  
white and black



195 x 195 x 4 mm / Glas dimensions  
184 x 184 x 65 mm / Installation dimensions  
179 x 179 x 65 mm / In-wall dimensions

- 6-wire video/audio technology
- Compatible with all SKS BUS audio and video indoor stations
- 14.5 cm (5.7", 640 x 480 pixels) sized multitouch display
- Easy and intuitive operation
- More or less barrier-free
- Configuration at the device or via web interface
- Bell button as text or vector image (jpg, png or svg)

- Code lock function with random number display
- Various levels possible for e. g. different departments or floors
- Protected against vandalism by safety glass
- Two types of installation: stand alone in-wall or cavity wall, here the COMFORT multitouch protrudes just 8 mm over the wall, alternatively it can be installed flush-mounted in an in-wall housing with stainless steel front panel, a steele or post box system

More or less **barrier-free** following **DIN 18040**

## 6-wire

Item no.	Description	Color	EUR/pc.
60001110	COMFORT door station multitouch, 6-wire	black	1,842.00 €
60001210	COMFORT door station multitouch, 6-wire	white	1,842.00 €
60004410	COMFORT door station multitouch ML, 6-wire*	black	1,956.00 €
60004510	COMFORT door station multitouch ML, 6-wire*	white	1,956.00 €
600057	In-wall housing for screwless installation		816.00 €

\*To be installed into item 600057 or into customized door stations individually designed by SKS.  
Dimensions: width x height x depth

## NEW Screwless installation

### Flush-mounted installation


For flush-mounting and an optimal protection against vandalism we recommend to install the COMFORT in a screwless housing, consisting of a stainless steel front panel and an in-wall housing.



275 x 412 x 3 mm / Panel dimensions  
255 x 392 x 60 mm / Housing dimensions




# Functional overview




## Welcome screen

If a person approaches the door station, the color display is switched on automatically.




## Finding names

Names can be searched by wiping or scrolling. By simply touching the name you choose it and activate the door bell. The visitor gets an optical feedback on the actual function.



## Functions displayed – barrier-free according to DIN 18040


The hearing-impaired get symbolic and textual status information on screen: After ringing „Ruf gesendet“ (Call has been sent) appears on the display. When the call is answered „Sie sprechen mit...“ (You are talking to) is displayed and when the door opener is activated it says „Die Tür wurde geöffnet“ (The door has been opened).



## Comfortable search function


For larger residential estates or office buildings names can be found easily and safely via the search function with a virtual key pad.

# Functional overview



## Customized display with company logo

The COMFORT door station may also be used as an information system as the user interface offers freely customizable blocks. Images or additional text may be displayed for each resident, e. g. company logos, departments or floors in which residents can be found.



## Well-structured name search using groups

At a central door the residents of each house can be assigned to a group (e. g. houses 1 to 3 in a residential estate).

## Start-up/configuration



Easy start-up and configuration via the web interface, using a PC/laptop.

Optionally the configuration can directly be done at the door station.



TOULOUSER  
ALLEE

21



### Virtual code lock – maximum security

Using the virtual code lock function the COMFORT door station may also function as a door opener. Thanks to the randomly displayed number pad with digits 0 ... 9 – for every use the numbers are displayed in a different order – a maximum security against being spied on is guaranteed.

#### IP versions

COMFORT door stations multitouch are also available in an IP version. Further information can be found under [www.sks-kinkel.de/comfort-ip](http://www.sks-kinkel.de/comfort-ip)





All information can also be found  
in our COMFORT film.

[www.sks-kinkel.de/en/door-stations/comfort-door-station](http://www.sks-kinkel.de/en/door-stations/comfort-door-station)

### Steles and post box systems with flush-mounted COMFORT door station multitouch

We like to work out ideas together with you concerning features, measurements and surfaces of your steles or post box system – be inspired by the flexible manufacture of your unique product.

