

- 800357** (100008-b) brown
- 800358** (100008-g) crystal clear
- 800359** (100008-s) silver
- 800360** (100008-w) white

**Push button small,  
with micro switch**

External dimensions: 65 x 22 mm  
Punching dimensions: 62 x 18 mm  
**19.00 EUR/pc.**



- 800384** brown
- 800381** crystal clear
- 800368** silver
- 800362** white

**Push button small,  
with micro switch and  
LED illumination**

External dimensions: 65 x 22 mm  
Punching dimensions: 62 x 18 mm  
**24.00 EUR/pc.**



**800817**

**Bell button stainless steel  
with flat edge**

Max. operating voltage 12 V  
IP65  
External dimensions: Ø 22 mm  
Punching dimensions: Ø 19 mm  
**18.00 EUR/pc.**



**800673**

**Anti-vandalism concave bell  
button with feather, V2A**

External dimensions: Ø 16 mm  
Punching dimensions: Ø 14 mm  
**8.00 EUR/pc.**



**800402** (100005)

**Indented bell button  
chromium-plated  
(for KINI door stations)**

External dimensions: Ø 20 mm  
Punching dimensions: Ø 15 mm  
**16.00 EUR/pc.**



**800383** (100036)

**Light button silver with LED**

Max. operating voltage 12 V  
External dimensions: Ø 22 mm  
Punching dimensions: Ø 16,2 mm  
**19.00 EUR/pc.**



**600027** (81310)

**Bell button plate  
stainless steel**

(Attachment is invisible with two holes in the wall, the supplied dowels are simply inserted and, using the bolts enclosed and threads on the back, the plate is firmly connected to the wall.)

Dimensions: 85 x 85 x 6 mm  
**88.00 EUR/pc.**





When ordering please indicate the **plate number** as printed inside the door station.

800412

### Name plate holder for anti-vandalism door stations



Exchange from back

Punching dimensions: 55 x 18 mm

**Name plate holder:** 7.00 EUR/pc.

**Name plate inlay (800406):** 1.50 EUR/pc.  
(Dimensions: 59 x 18 mm)

800414

### Name plate holder for anti-vandalism door station



Exchange from front, not flush

External dimensions: 59 x 23 mm

Punching dimensions: 57 x 20 mm

**Name plate holder:** 6.00 EUR/pc.

**Name plate inlay (800409):** 1.50 EUR/pc.  
(Dimensions: 49 x 13 mm)

800413

### Name plate holder for anti-vandalism door station



Exchange from front, suitable for tableaux

with little space requirements

Punching dimensions: 55 x 18 mm

**Name plate holder:** 7.00 EUR/pc.

**Name plate inlay (800408):** 1.50 EUR/pc.  
(Dimensions: 52 x 15 mm)

800602

### Tandem name plate holder only sale of stock items



Exchange from back

Punching dimensions: 81 x 18 mm

**Name plate holder:** 13.00 EUR/pc.

**Name plate inlay (800601):** 2.50 EUR/pc.  
(Dimensions: 84 x 18 mm)

800746

### Name plate holder universal for anti-vandalism door station



Exchange from front, for materials 1-4 mm thick

Punching dimensions: 55 x 18 mm

**Name plate holder:** 8.00 EUR/pc.

**Name plate inlay (800408):** 1.50 EUR/pc.  
(Dimensions: 52 x 15 mm)

901193

### Name plate holder for series Basic line



Exchange from front

Punching dimensions: 70,3 x 20 mm

**Name plate holder:** 8.00 EUR/pc.

**Name plate inlay (901297):** 1.50 EUR/pc.  
(Dimensions: 65,5 x 16 mm)

800410

### Name plate holder for KINI door station



Exchange from back

External dimensions: 60 x 21 mm


Punching dimensions: 56 x 16 mm

**Name plate holder:** 5.00 EUR/pc.

**Name plate inlay (800407):** 1.50 EUR/pc.  
(Dimensions: 55 x 13 mm)

800411

### Name plate holder with name plate inlay



Exchange from front, for JU post box systems

External dimensions: 67 x 22 mm

Punching dimensions: 60 x 19 mm

**Name plate holder with inlay:** 8.00 EUR/pc.




For removal tools see page 77

300098

### Basic BUS bell

Dimensions: 80 x 150 x 13 mm  
**61,00 EUR/pc.**



The BUS bell is connected to the SKS BUS with 2 wires. Using the DIP switch the same call address is set as on the indoor station. When a door call comes in both indoor station and BUS bell play the chosen ringtone.

- Compatible with BUS bell 300006
- Ringtones and volume adjustable
- Ringtone matching with all SKS indoor stations
- Surface-mounted
- Not suitable for outside
- Working temperature: -10 °C bis +65 °C
- Protection type IP20

300097

### Basic additional loudspeaker

Dimensions: 80 x 150 x 13 mm  
**24,00 EUR/pc.**



The additional loudspeaker is connected to an existing indoor station. The additional loudspeaker can be used for the SKS indoor stations series HT4500, T4600, HTV4600, HT925, HT926, HT7105 and HT3500. When a house or door call comes in, both the indoor station and the additional loudspeaker play the same ringtone.

- Compatible with additional loudspeaker 300045
- Same ringtone as the indoor station (only loudspeaker)
- Up to 3 wires to the indoor station are needed
- Surface-mounting (not suitable for outdoors)
- Working temperature: -10 °C bis +65 °C
- Protection type IP20

800765

### Radio bell set for sockets with transmitter and receiver

Dimensions receiver: 50 x 122 x 38 mm  
Dimensions transmitter: 30 x 16 x 7 mm  
**174,00 EUR/pc.**



Using the radio bell SKS indoor stations can be extended by a mobile component. The radio bell can be worked on its own or in connection with the SKS indoor stations series HT4500, HT4600, HTV4600, HT926, HT7105 and HT3500 without any additional components. For all other SKS door stations the radio bell can be used in connection with the BUS actuator module FM 300095 (see page 24). The transmitter can be installed discreetly in the smallest of spaces. The receiver can be plugged into any socket and signals incoming calls both acoustically and optically. The duration of the ringtone melody can be set between 7 seconds and 1 minute.

#### Radio transmitter:

- Nominal input voltage: 5 to 24 VAC/6 to 32 VDC
- Nominal input power: 0,4 W (active)
- Range 150 metres in open field
- Working temperature: -20 °C to +60 °C

#### Radio receiver:

- Nominal input voltage: 230 VAC, 50 Hz
- Nominal input power: 0,3 W (standby)
- 3 ring tones
- Volume can be changed in 2 steps
- Optional flashlight for the hearing-impaired
- Working temperature (receiver): -20 °C to +35 °C
- Protection type IP20

**Video indoor stations SKS BUS**

Item No.	Original item no.	Description	EUR/pc.
100018		Indoor station il vetro video, hands-free, 2-wire, white	581.00 €
100020		Indoor station il vetro video, hands-free, 6-wire, black	541.00 €
100021		Indoor station il vetro video, hands-free, 6-wire, white	541.00 €
100049		Indoor station DS2010 video, receiver, 6-wire, white, with image storage function	550.00 €
100052		Indoor station DS2010 video, hands-free, 6-wire, black	464.00 €
100055		Indoor station DS2010 video, receiver, 2-wire, white	497.00 €
100057		Indoor station DS2010 video, receiver, 6-wire, white	464.00 €
100058		Indoor station DS2010 video, hands-free, 2-wire, white glossy	497.00 €
100059		Indoor station DS2010 video, hands-free, 6-wire, white glossy	464.00 €
100060		Indoor station DS2010 video, hands-free, 2-wire, white glossy, with image storage function	590.00 €
100061		Indoor station DS2010 video, hands-free, 6-wire, white glossy, with image storage function	550.00 €
100037		Indoor station HTV4600 video, receiver, 2-wire, plastic white	471.00 €
100073		Indoor station HTV4600 video, b/w, receiver, 6-wire, plastic white (as replacement for 4505-VB - please contact our support)	569.00 €
100063		Indoor station CASA video, hands-free, 6-wire, silver, with image storage function	574.00 €
100067		Indoor station CASA video, hands-free, 6-wire, white, with image storage function	574.00 €

**Audio indoor stations SKS BUS**

Item No.	Original item no.	Description	EUR/pc.
200003		Indoor station il vetro audio, hands-free, black	217.00 €
200004		Indoor station il vetro audio, hands-free, white	217.00 €
200022		Indoor station DS2010 audio, hands-free, black	95.00 €
200024		Indoor station DS2010 audio, receiver, black	95.00 €
200025		Indoor station DS2010 audio, receiver, white	95.00 €
200026		Indoor station DS2010 audio, hands-free, white glossy	95.00 €
80080105		Adapter plate for covering the outline of the HT4500 in connection with BS2012 audio hands-free and HT4600 Dimensions: 90 x 230 x 3 mm	13.00 €

**!** You may also order via our SKS online shop under [www.shop.sks-kinkel.de](http://www.shop.sks-kinkel.de)

**SKS BUS accessories, audio/video**

Item no.	Original Item no.	Description	EUR/pc.
800147	513-A	Emergency speaker FDE, white	42.00 €
300048	4808-4503	Control module 4808 in the housing of control module 4503	282.00 €
300027	4808-4001	Control module up to 2 RU*	207.00 €
300052	4808-4001 from 3 RU	Control module up to 3 RU*	207.00 €
300003	4811	Series impedance	6.00 €
300036	4502-850	Transformer for video systems	80.00 €
300059	754-V2	Video power supply 6-wire video	192.00 €
30005901		Video power supply 4 cameras 6-wire video	192.00 €
30005910		Video power supply 8 cameras 6-wire video	318.00 €
800661	755-V	Door switch for 6-wire video technology from 4 entrances on	87.00 €
300016	4813-V2	Floor controller	419.00 €
300009	4803	BUS driver for up to 48 residential units	204.00 €
300023	SIP06	Switch interface for HTV4600, HT4600, HT4500, BS2012	41.00 €
300019	LSI06	Light signal interface for HTV4600, HT4600, HT4500, BS2012	41.00 €
800776		Battery for FDE and access control devices	67.00 €
800324	820-C	Built-in camera, 6-wire	557.00 €
300094		2-wire video compact power supply	273.00 €
300060		Combined camera/speech module 2-wire video technology for individual SKS door stations	784.00 €
300083		Combined camera/speech module 2-wire video technology for SKS set door stations	784.00 €
300025	4807	Star distributor	240.00 €
300044	4809	Door station coupler	265.00 €
300017	4832	Floor distributor	102.00 €
300002	4812	2-wire series impedance	8.00 €
300014	825-C	Built-in camera, 2-wire	605.00 €
300000	4815	Video transmitter	542.00 €
300004	825-M	2-wire video converter (to connect external cameras to the 2-wire video BUS system)	217.00 €
300005		Motion sensor	184.00 €
300039	4817	Video receiver	635.00 €

**BUS series 942D (2203)**

Item no.	Original Item no.	Description	EUR/pc.
800250	HT942D	House telephone 2-wire BUS, series VX2000, white	60.00 €
800156	VX2203D	Built-in loudspeaker with amplifier	208.00 €

! You may also order via our SKS online shop under [www.shop.sks-kinkel.de](http://www.shop.sks-kinkel.de)

**1+n technology series HT925/HT926**

Item no.	Original Item no.	Description	EUR/pc.
800234	HT925-S-2-MS	House telephone HT925, 1+n, with muting, white	56.00 €
800235	HT95-S-2-MSP	House telephone HT925, 1+n, with muting and potentiometer for regulation of volume, white	65.00 €
800231	HT926	House telephone HT926, 1+n for parallel operation, white (Dimensions: 82 x 193 x 25 mm)	65.00 €
800238	HT926-S-2-MS	House telephone HT926, 1+n, with muting, white (Dimensions: 82 x 193 x 25 mm)	56.00 €
800651	835-2	Door loudspeaker 1+n	209.00 €
800653	835-2-ML	Door loudspeaker 1+n, ML version	262.00 €
800490	835-3	Board door loudspeaker 1 + n	175.00 €
80080105		Adapter plate for covering the outline of the HT925 in connection with HT926 Dimensions 90 x 230 x 3 mm	13.00 €

**Accessories 1+n technology**

Item no.	Original Item no.	Description	EUR/pc.
800141	2503-10	Diode matrix for up to 10 users	25.00 €
800142	2503-14	Diode matrix for up to 14 users	28.00 €
800143	2503-20	Diode matrix for up to 20 users	48.00 €
800518	SIP05	Switching interface (for series HT925 and 926)	41.00 €
300023	SIP06	Switching interface for HTV4600, HT4600, HT4500, BS2012	41.00 €
300019	LSI06	Light signal interface for HTV4600, HT4600, HT4500, BS2012	41.00 €

**SKS Universal telephone HT8039 (4-wire technology)**

Item no.	Original Item no.	Description	EUR/pc.
800668	8039	Universal telephone HT8039 (4-wire technology)	66.00 €

**Intercom series GF/GVV**

Item no.	Original Item no.	Description	EUR/pc.
800367	LS1	Loudspeaker installation kit in housing 16 Ohm/1W	47.00 €
800723	GF30-weiß	Intercom GF30, white	56.00 €
800740	GV33-2	Central amplifier with control electronics GV33	271.00 €
800430	1109(GT3182)	Power transformer for switchboard installation or surface-mounting	60.00 €
800729	GF55-weiß	Intercom GF55, white	72.00 €
800739	GV55	Central amplifier with control electronics GV55	259.00 €
800429	1035(ST3630)	Power transformer for switchboard installation or surface-mounting	74.00 €
800365	LS2	Loudspeaker	44.00 €

**Indoor stations 3+n technology HT3500**

Item no.	Original Item no.	Description	EUR/pc.
800227	1147-3H	Door call module (signal tone generator for ZV 1103/1.1)	91.00 €
800266	HT3500-1-MS	House telephone 3+n, with privacy function, with muting	95.00 €
800680	ZV1103-1.1	Amplifier for SKS-HT 3500-1 (3+n)	299.00 €

**Removal tools, screws, keys, buttons**

Item no.	Original Item no.	Description	EUR/pc.
800008	100024	2-hole screw	4.00 €
800009	100021	2-hole wrench	19.00 €
800632	100022-16	TORX screw M4, length 16 mm	4.00 €
800634	100022-25	TORX screw M4, length 25 mm	4.00 €
800635	100022-30	TORX screw M4, length 30 mm	4.00 €
800637	100022-40	TORX screw M4, length 40 mm	4.00 €
800640	100019	TORX wrench M4	14.00 €
800640-B		TORX wrench M4 angle	14.00 €
800164	100030	Removal tool for items 800413, 800414, 800746 and 901193	7.00 €
800165	100030-COMFORT	Removal tool for COMFORT door stations	17.00 €
800781		Opening tool for Basic line door stations	8.00 €
800348	100002	Bell button stainless steel - external dimensions: ø 22 mm/Punching dimensions: ø 18 mm	18.00 €

**Post box locks/Post box keys**

Item no.	Original Item no.	Description	EUR/pc.
800763		Post box cylinder lock with flat front surface, with 2 keys	18.00 €
800109	100041	Post box key for standard cylinder lock (3- or 4-digit number/letter combination, starting with B). If 2 keys are required, please specify when ordering!	8.00 €

**Door openers**

Item no.	Original Item no.	Description	EUR/pc.
700044	30.1.03.B	Door opener without unlocking	45.00 €
700043	31.1.03.B	Door opener with mechanical unlocking	48.00 €
700050	32A.1.03.B	Door opener unlocking via internal retaining spring (leaf spring)	62.00 €
700040	30.1.03.E	Door opener electronically protected	59.00 €
700071		NC circuit door opener (for escape route doors)	61.00 €

**!** You may also order via our SKS online shop under [www.shop.sks-kinkel.de](http://www.shop.sks-kinkel.de)